

LAUNDRY-TEC

lavamac

your laundry solution



EVO⁴
DRYING TECHNOLOGY

DRYING TECHNOLOGY **EVO⁴**

www.lavamac.eu

Experts in drying

EVO⁴ HEAT PUMP DRYING TECHNOLOGY



4 kW ~~25 kW~~

ELECTRICAL POWER

Less than 4 kW of 415V 3ph connected load compared to an average of 25kW gas

EVAPORATION

No requirement for external ducting


ENERGY CONSUMPTION

Consumption reduced by more than 60%.



EFFICIENCY

Shortest drying times on the market.



XTREMELY SHORT PAY BACK TIME OF NEW TECHNOLOGY

•LS300 HP investment cost will pay back only in 15 months.


* Calculation includes standard equipment prices, the average price of electricity in EU and the usual number of 8 cycles per day (160 cycles per month).

LARGEST RANGE ON THE MARKET - 9, 11, 13 AND 16 KG

REVOLUTION IN DRYING

- No expensive gas pipework to install
- No expensive ducting to install
- No annual gas testing
- Super efficient
- All electric
- 15 months return on investment

The EVO 4 range in dryers are designed to take commercial tumble drying into the 21st century. The initial capital cost can be largely offset against installation savings, and the ongoing running costs are approximately 60% lower than equivalent gas dryers.



RANGE



TYPE		LS195 HP	LS250 HP	LS300 HP	LS350 HP
CAPACITY					
Drum capacity	kg/lb	9/20	11/24	13/27	16/35
Drum volume	l	195	250	285	345
Drum diameter	mm	Ø760	Ø760	Ø760	Ø760
DRYING AVERAGE					
	g/min	122	126	120	120
MOTORS					
Fan	kW	0,20	0,20	0,20	0,20
Drive	kW	0,25	0,25	0,25	0,25
HEAT PUMP					
Electrical connection		3x380-415V 50Hz +N			
Energy	kW	2,9	2,9	2,9	2,9
PROGRAMMER					
Easy control - antivandal		Standard	Standard	Standard	Standard
Full control		Available	Available	Available	Available
DIMENSIONS					
Size H×W×D	mm	1465x795x 1275	1680x795x1525	1680x795x1615	1680x795x1735
TRANSPORT DATA					
Gross weight	kg	305	355	400	400
Net weight	kg	290	320	360	375

LaundryTec

15, Europa Court, Sealand
Industrial Estate, Chester
CH1 4NP

Phone: 0151 317 3127
E-mail: info@laundrytec.com

Lavamac - Central and Eastern Europe

Místecka 1116
742 58 Příbor
Czech Republic

Phone: +420 556 768 800
Fax: +420 556 723 383
E-mail: sales@lavamac.info

